

<u>Location</u>	<u>Gas Day</u>	<u>Relative Density</u>	<u>BTU/CF</u>	<u>N2</u>	<u>CO2</u>	<u>Methane</u>	<u>Ethane</u>	<u>Propane</u>
WEST LEXINGTON	4/3/2017	0.59	1053.5	0.555	0.274	93.696	4.92	0.434
WEST LEXINGTON	4/2/2017	0.591	1054.6	0.567	0.268	93.633	4.915	0.474

<u>Ibutane</u>	<u>Nbutane</u>	<u>Ipentane</u>	<u>Npentane</u>	<u>Hexanes Plus</u>	<u>C5+</u>
0.03	0.056	0.01	0.008	0.016	0.034
0.035	0.065	0.012	0.01	0.019	0.041

<u>Location</u>	<u>Gas Day</u>	<u>Lbs/MMCFD</u>
STATION 150	4/3/2017	1.428
STATION 150	4/2/2017	1.305
STATION 520	4/3/2017	2.172
STATION 520	4/2/2017	1.992

<u>Location</u>	<u>Gas Day</u>	<u>Grain/100scf</u>
STA 150 - Total SULFUR Unodorized Gas Stream	4/2/2017	0.133
STA 150 - Total SULFUR Unodorized Gas Stream	4/3/2017	0.143
STA 150 - Total SULFUR Odorized Gas Stream	4/2/2017	0.383
STA 150 - Total SULFUR Odorized Gas Stream	4/3/2017	0.403

Month Date	- #NOAAKPGVAVG - NOAA Weather - NC - Pitt-Greenville Actual Mean Temperature	- #NOAAKPGVMAXT - NOAA Weather - NC - Pitt-Greenville Actual Maximum Temperature	- #NOAAKPGVMINT - NOAA Weather - NC - Pitt-Greenville Actual Minimum Temperature
3 Min			23.00
3 Average	51.43		
3 Max		82.40	
2 Min			23.00
2 Average	52.93		
2 Max		82.40	
1 Min			10.40
1 Average	47.53		
1 Max		73.40	
12 Min			21.20
12 Average	45.29		
12 Max		78.80	
11 Min			24.80
11 Average	51.60		
11 Max		82.40	
10 Min			37.40
10 Average	66.13		
10 Max		86.00	
9 Min			60.80
9 Average	74.95		
9 Max		93.20	
8 Min			60.80
8 Average	80.67		
8 Max		95.00	
7 Min			68.00
7 Average	81.44		
7 Max		98.60	
6 Min			53.60
6 Average	75.89		
6 Max		95.00	
5 Min			44.60
5 Average	67.48		

5 Max

89.60

4 Min

26.60

4 Average

59.91

4 Max

87.80

<u>Location</u>	<u>Elevation</u>
Gate Station 3	83
Gate Station 4	32
Gate Station 5	79